

1 ModPerl::BuildMM -- A "subclass" of ModPerl::MM used for building mod_perl 2.0

1.1 SYNOPSIS

```
use ModPerl::BuildMM;

# ModPerl::BuildMM takes care of doing all the dirty job of overriding
ModPerl::BuildMM::WriteMakefile(...);

# if there is a need to extend the methods
sub MY::postamble {
    my $self = shift;

    my $string = $self->ModPerl::BuildMM::MY::postamble;

    $string .= "\nmydist : manifest tardist\n";

    return $string;
}
```

1.2 DESCRIPTION

ModPerl::BuildMM is a "subclass" of ModPerl::MM used for building mod_perl 2.0. Refer to ModPerl::MM manpage.

1.3 OVERRIDEN METHODS

ModPerl::BuildMM overrides the following methods:

1.3.1 ModPerl::BuildMM::MY::constants

1.3.2 ModPerl::BuildMM::MY::top_targets

1.3.3 ModPerl::BuildMM::MY::postamble

1.3.4 ModPerl::BuildMM::MY::post_initialize

1.3.5 ModPerl::BuildMM::MY::libscan

Table of Contents:

1	ModPerl::BuildMM -- A "subclass" of ModPerl::MM used for building mod_perl 2.0	. . .	1
1.1	SYNOPSIS	2
1.2	DESCRIPTION	2
1.3	OVERRIDEN METHODS	2
1.3.1	ModPerl::BuildMM::MY::constants	2
1.3.2	ModPerl::BuildMM::MY::top_targets	2
1.3.3	ModPerl::BuildMM::MY::postamble	2
1.3.4	ModPerl::BuildMM::MY::post_initialize	2
1.3.5	ModPerl::BuildMM::MY::libscan	2