

1 APR::BucketType - Perl API for APR bucket types

1.1 Synopsis

```
use APR::BucketType ();

my $name = $b_type->name;
```

1.2 Description

`APR::BucketType` allows you to query bucket object type properties.

1.3 API

`APR::BucketType` provides the following functions and/or methods:

1.3.1 *name*

Get the name of the bucket type:

```
my $bucket_type_name = $b_type->name;
```

- **arg1:** `$b_type` (`APR::BucketType` object)
- **ret:** `$bucket_type_name` (string)
- **since:** 2.0.00

Example:

```
use APR::Bucket ();
use APR::BucketType ();
my $eos_b = APR::Bucket::eos_create($ba);
my $b_type = $eos_b->type;
my $name = $b_type->name;
```

Now `$name` contains `'EOS'`.

1.4 See Also

`mod_perl 2.0` documentation.

1.5 Copyright

`mod_perl 2.0` and its core modules are copyrighted under The Apache Software License, Version 2.0.

1.6 Authors

The mod_perl development team and numerous contributors.

Table of Contents:

1	APR::BucketType - Perl API for APR bucket types	1
1.1	Synopsis	2
1.2	Description	2
1.3	API	2
1.3.1	name	2
1.4	See Also	2
1.5	Copyright	2
1.6	Authors	3