

# Documentation

The mod\_perl project features a lot of documentation, both for mod\_perl 1.0 and 2.0. If there is anything you need to learn about mod\_perl, you'll learn it here.

Last modified Mon Nov 23 03:40:01 2009 GMT

- 1. Conventions used in the mod\_perl Documentation  
We use a number of conventions in this documentation, that are mostly easy to understand; if you're in doubt, look here for the explanation.
- 2. mod\_perl 1.0 Documentation  
A collection of the documents specific to the mod\_perl 1.0 generation.
- 3. mod\_perl 2.0 Documentation  
A collection of the documents specific to the mod\_perl 2.0 generation.
- 4. General Documentation  
Here you can find documentation concerning mod\_perl in general, but also not strictly mod\_perl related information that is still very useful for working with mod\_perl. Most of the information here applies to mod\_perl 1.0 and 2.0.
- 5. Tutorials  
mod\_perl related tutorials, teaching you things not only about mod\_perl, but also about any related topics of great interest to mod\_perl programmers.
- 6. Offsite Resources  
mod\_perl Books, Articles, Presentations, and links to sites covering other relevant topics.

# **1 Conventions used in the mod\_perl Documentation**

## 1.1 Description

We use a number of conventions in this documentation, that are mostly easy to understand; if you're in doubt, look here for the explanation.

## 1.2 Prompts

For commands that should be typed in your shell (or your *Command prompt*, or whatever your OS calls it), we use the following prompts:

```
% ls -l
```

for the user-mode prompt (ie. a normal user account, with no special privileges).

```
# ls -l
```

for the superuser prompt: this means you'll have to change users to become the super user on your platform. On Unix you can use the `su` or `sudo` utilities to gain superuser privileges (provided you know the *root* password); on other platforms you might have to change the user -- to *Administrator* for example on Windows.

If you cannot obtain super user privileges, there will often be explanations about how doing the selected task without those privileges; in any other case, contact your system administrator.

On documents specific to a certain Operating System, the prompt might change. For example, in Windows documentation, we might use:

```
C:\> nmake
```

instead of any other prompt.

## 1.3 Typographical conventions

We try to be consistent about our use of different fonts and faces, so that you'll recognize special words more easily.

- Use **F**<filename> for filenames, directories/paths, URIs, and the like.
- Use *I*<italics> for emphasizing things. But use them with care, when things *really* need to be emphasized.
- Use **B**<stress> for stressing things more strongly than *I*<italics> does. But avoid using this tag unless you think things are **very** important. Defer to *I*<italics> for emphasis, instead. Over-use of bold text reduces its original intention -- so use it with care to really make things stand out when they need to stand out.

- Use `C<Constant width>` for commands/program names, configuration items or Perl code/function names, and manpage references.

- **Bold**

is used for things we want to stress.



## Table of Contents:

<b>Documentation</b>	1
<b>Conventions used in the mod_perl Documentation</b>	3
1 Conventions used in the mod_perl Documentation	3
1.1 Description	4
1.2 Prompts	4
1.3 Typographical conventions	4