

# **1 APR::BucketType - Perl API for APR bucket types**

## 1.1 Synopsis

```
use APR::BucketType ();

my $name = $b_type->name;
```

## 1.2 Description

`APR::BucketType` allows you to query bucket object type properties.

## 1.3 API

`APR::BucketType` provides the following functions and/or methods:

### 1.3.1 *name*

Get the name of the bucket type:

```
my $bucket_type_name = $b_type->name;
```

- **arg1:** `$b_type` (`APR::BucketType` object)
- **ret:** `$bucket_type_name` (string)
- **since:** 2.0.00

Example:

```
use APR::Bucket ();
use APR::BucketType ();
my $eos_b = APR::Bucket::eos_create($ba);
my $b_type = $eos_b->type;
my $name = $b_type->name;
```

Now `$name` contains `'EOS'`.

## 1.4 See Also

`mod_perl 2.0` documentation.

## 1.5 Copyright

`mod_perl 2.0` and its core modules are copyrighted under The Apache Software License, Version 2.0.

## 1.6 Authors

The mod\_perl development team and numerous contributors.



## Table of Contents:

|       |   |   |
|-------|---|---|
| 1     | APR::BucketType - Perl API for APR bucket types . . . . . | 1 |
| 1.1   | Synopsis . . . . .  | 2 |
| 1.2   | Description . . . . .                                     | 2 |
| 1.3   | API . . . . .   | 2 |
| 1.3.1 | name . . . . .  | 2 |
| 1.4   | See Also . . . . .  | 2 |
| 1.5   | Copyright . . . . .                                       | 2 |
| 1.6   | Authors . . . . .   | 3 |